

VITACOOL

SPECIFICALLY FORMULATED LIQUID COMPLEMENTARY FEED TO MANAGE HEAT STRESS SITUATIONS IN POULTRY

- Stimulates water consumption
- Supplies essential body electrolytes and energy
- Contains organic acids to acidify the water
- Contains high levels of vitamin C to supplement demands placed on poultry during climactic stress



RECOMMENDED USAGE

Dilute 1.0 - 1.5 ml in 1 Litre of clean drinking water. Feed during periods of stress. Feed for 3 days following transportation, prior to transfer, during thinning and during disease challenge and periods of excess stress. For young growing birds, treat water for the first three days and as and when required.

This is not a veterinary medicinal product.

Specification (Per Litre)

Analytical Constituents:

Vitamin C 39,000 mg Moisture 75.25%

Zinc 4,800 mg Crude protein 5.13%

Manganese 6,700 mg Crude fibre <1%

Organic acid blend 155,000 mg Crude oil and fat 0.06%

Potassium 56,000 mg Crude ash 6.89%

Sodium 16,000 mg Sodium 1.55%

Magnesium 2,400 mg Energy in Kloules 305Kl/100g

Composition:

Potassium Chloride, Sodium Chloride, Maltodextrin and Magnesium Sulphate

Nutritional Additives (per Kg) <u>Trace elements (source in brackets):</u> Manganese (E5 Manganese Sulphate monohydrate) - 20,760mg, Zinc (E6 Zinc Sulphate heptahydrate) - 12,000 mg

Storage: Store in a dry place between 5-25°C, in the original container away from direct sunlight

Pack Size: 12x1, 4x5 & 25 litre

Shelf Life: 2 years from date of manufacture

FOR HEALTH & SAFETY INFORMATION, REFER TO THE SAFETY DATA SHEET

KILCO (INTERNATIONAL) LTD.
BROOMHOUSES 2 INDUSTRIAL ESTATE
OLD GLASGOW ROAD, LOCKERBIE.
DG11 2SD

Tel: +44 (0) 1576 205 480 Fax: +44 (0) 1576 205 483

Email: enquiries@kilco.co.uk